

Bjerring SL-4

Auditoriestol



BJERRING

1 Assuring seating comfort for many hours, the back and seat have been made from high-quality polyurethane foam covered with a flame-retardant fabric.

2 The cover of the seat and the backrest made of high-quality ergonomically profiled multi-layer plywood.

3 The writing tablet is made from multi-layer lacquered plywood or coated with high pressure laminate (HPL) or from furniture board.



4 A fail-safe, quiet and maintenance-free gravity folding mechanism enables automatic folding as a result of application of properly selected counterweight.

5 The steel frame is made from closed profiles having dimensions of 30 x 50 x 2 mm bent at an angle of 12°, powder coated in a desired RAL color.

6 The armrest is made from a single piece of plywood, bent in the shape of the letter „L“.

7 The foot supporting the seat is made from sheet metal having a thickness of 8 mm and ending at the front and back with 50 mm radii attached to the base surface with two counter-sink screws pan head screws.



Cassette

stable, made of solid wood combined with high-grade plywood, mounted on the back.



Basic

reliable, quiet and maintenance-free mounted on the back.



LTS

a modern shape mechanism with the option of fitting the cover colored in any RAL color, mounted on the back.



A Armrest type C


B Armrest type L

C Basket


D Power point

Mechanism type	G1 (mm)	G2 (mm)	G3 (mm)
Basic	290 - 320	350 - 380	190 - 220
LTS	290 - 320	380 - 410	220 - 250
Cassette	290 - 320	360 - 390	200 - 230


S - seat



SP - seat and writing tablet



FP - front panel



*Kontakt os
for priser
og yderligere
oplysninger.*

