

Bjerring SL-1

Auditoriestol



BJERRING

1 The backrest and seat are made of high-quality moulded multilayered plywood. Ergonomically moulded plywood ensures adequate support for the backbone and seating comfort for many hours.

2 The writing tablet is made from multi-layer lacquered plywood or coated with high pressure laminate (HPL) or from furniture board.

3 A gravity folding mechanism enables automatic folding through the use of properly selected counterweight. The mechanism is fail-safe, quiet and maintenance-free.

4 The frame is made from 30 x 50 x 2 mm closed steel profiles, powder coated in any RAL color.

5 The foot supporting the seat is made from sheet metal having a thickness of 8 mm and ending at the front and back with 50 mm radii attached to the base surface with two counter-sink screws pan head screws.





Cassette

stable made of solid wood combined with high multi-species plywood, mounted on the back.



Basic

reliable, quiet and maintenance-free mounted on the back.



LTS

a modern shape of the mechanism with the option of fitting the cover colored in any RAL color, mounted on the back.




A Armrest type C

B Armrest type L


C Basket

Mechanism type	G1 (mm)	G2 (mm)	G3 (mm)
Basic	300 - 330	340 - 370	230 - 260
LTS	300 - 330	370 - 400	260 - 290
Cassette	300 - 330	350 - 380	240 - 270


S - seat



SP - seat and writing table



FP - front panel



*Kontakt os
for priser
og yderligere
oplysninger.*

