BJERRING

Produkt Oversigt Kulissehjul 2020

WHEELS • CASTORS • STAGE TECHNOLOGY

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Content

Wheel size (Ø)	33 - 250 mm	33 - 200 mm	75 - 250 mm	75 - 125 mm
				
Wheel series	**VU**	**PU**	**GPT**	**KP**
Wheel coating	Vulkollan	polyurethane	polyurethane	polyurethane
Wheel rim	full aluminium core	full aluminium core	cast aluminium core	polyamide
Wheel colour	beige/caramel	black, yellow	black, yellow	transparent, black
Wheel coating hardness	92°	92°	92°	80°
Wheel profile	convex or flat	convex or flat	convex or flat	convex
Wheel bearing	ball bearing	ball bearing	ball bearing	ball bearing
Safe working load	**40 - 1400 kg**	**40 - 1000 kg**	**75 - 1400 kg**	**60 - 200 kg**
Maximum load capacity	★★★★★	★★★★★	★★★★★	★★★☆☆
Ground protection	★★★☆☆	★★★☆☆	★★★☆☆	★★★★☆
Rolling resistance	★★★★★	★★★★★	★★★★★	★★★★★
Quiteness	★★★☆☆	★★★☆☆	★★★☆☆	★★★★☆
Temperature range (in °C)	-40 to +80	-20 to +80	-30 to +80	-20 to +60
Rolling comfort	★★★☆☆	★★★☆☆	★★★☆☆	★★★★☆
Shock absorbing	★★★☆☆	★★★☆☆	★★★☆☆	★★★★☆
Price range	★★★☆☆	★★★★☆	★★★★★	★★★★★
Recovery capacity	★★★★★	★★★★☆	★★★★☆	★★★☆☆
Non-marking	★★★★★	★★★★★	★★★★★	★★★★★
Chemical resistance	★★★★★	★★★★★	★★★★★	★★★★★
Specifics	drive quality Bayer quality			corrosion-free rim
Suitable floors:				
Hard smooth surface	✓	✓	✓	✓
Hard textured surface				✓
Road boxes / flight cases	✓	✓	✓	
Ground cloth	✓	✓	✓	✓
Carpet	✓	✓	✓	
Dance floor carpet				✓
Wooden floor	✓	✓	✓	✓
Gravel				
Concrete	✓	✓	✓	✓
Page	**4 + 5**	**6 + 7**	**8 + 9**	**10 - 13**

50 - 200 mm	100 - 200 mm	33 - 200 mm	80 - 250 mm	50 - 200 mm	25 - 250 mm
					
GPK	**GPW**	**PUW**	**AG**	**KU + KWS**	**NY + SNY**
polyurethane	polyurethane	polyurethane	elastic rubber	soft rubber	polyamide
polyamide	cast aluminium core	full aluminium core	polyamide	polyamide	polyamide
grey	green, blue, red	blue	blue, black	grey, black	black, white
80°	75°	75°	65°	65° + 30°	100°
flat	flat	convex or flat	flat	flat	convex or flat
ball bearing	ball bearing	ball bearing	roller bearing	ball bearing	plain bearing, roller bearing and ball bearing
40 - 800 kg	**270 - 1300 kg**	**50 - 1600 kg**	**100 - 800 kg**	**20 - 120 kg**	**10 - 1000 kg**
★★★☆☆	★★★☆☆	★★★☆☆	★★★☆☆	★☆☆☆☆	★★★★★
★★★★☆	★★★☆☆	★★★☆☆	★★★★☆	★★★★☆	★☆☆☆☆
★★★★★	★★★☆☆	★★★☆☆	★★★☆☆	★★☆☆☆	★★★★★
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★☆☆☆☆
-20 to +60	-30 to +70	-20 to +80	-20 to +80	-20 to +60	-25 to +80
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★★★☆☆
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★☆☆☆☆
★★★★★	★★☆☆☆	★★☆☆☆	★★★★★	★★★★★	★★★★★
★★★☆☆	★★★☆☆	★★★☆☆	★★★☆☆	★★★★★	★★★★★
★★★★★	★★★★★	★★★★☆	★★★☆☆	★★★☆☆	★★★★★
★★★★★	★★★★★	★★★★☆	★★★☆☆	★★★☆☆	★★★★★
corrosion-free rim		drive quality	corrosion-free rim		corrosion-free rim
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	
			✓		
✓	✓	✓		✓	✓
	✓	✓	✓	✓	
	✓	✓	✓		✓
12 + 13	**14 + 15**	**16 - 18**	**19 - 21**	**22 + 23**	**24 + 25**

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Vulkollan® wheels with full aluminium core



mm	dyn. kg						
50	**80**						
51	**80**						
51	**100**	LMVU033KUPL	LMVU033KUPLTF	BVU033KUPL			
65	**250**						
67	**150**						
72	**150**	LMVU050KUPL	LMVU050KUPLTF	BMVU050KUPL			
73	**50**	LVU050KUPL	LVU050KUPLTF	BVU050KUPL			
82	**150**	LMVU050KUPLS	LMVU050KUPLSTF	BVU050KUPLS	LVU050KUPL-4Fach		
93	**200**	LVU065KUP1	LVU065KUP1TF	BVU065KUP1			
96	**200**				LVU065KUP1-4Fach		
100	**200**	LVU080KUP1	LVU080KUP1TF	BVU080KUP1	LVU075KUP1-4Fach		
103	**200**				LVU080KUP1-4Fach		
115	**250**	LVU080KUP3	LVU080KUP3TF	BVU080KUP3	LVU080KUP3-4/8Fach		BVU080KUP3TF
115	**300**						
117	**250**	SLVU080KUP1	SLVU080KUP1TF	SBVU080KUP1			
125	**400**	LVU100KUP3	LVU100KUP3TF	BVU100KUP3	LVU100KUP3-4/8RF*	SLVU080KUP3TFS*	BVU100KUP3TF
127	**350**	SLVU100KUP1	SLVU100KUP1TF	SBVU100KUP1			
128	**320**	LVU100KUP1	LVU100KUP1TF	BVU100KUP1			
130	**600**	GLVU080KUP3		GBVU080KUP3			
132,5	**200**	GLVU065KUP1		GBVU065KUP1			
133	**600**	GLVU082KUP3		GBVU082KUP3			
135	**600**	GLVU085KUP3		GBVU085KUP3			
140	**250**	GLVU080KUP1	GLVU080KUP1TF	GBVU080KUP1			
145	**400**	GLVU100KUP3	GLVU100KUP3TF	GBVU100KUP3	GBVU100KUP3TF		
148	**350**	SLVU100KUP3		SBVU100KUP3	SLVU100KUP3 + 2 RF	SLVU100KUP3TFS	SBVU100KUP3TF
150	**300**	GLVU100KUP1	GLVU100KUP1TF	GBVU100KUP1			
155	**320**	LVU125KUP1	LVU125KUP1TF	BVU125KUP1			
155	**500**	LVU125KUP3	LVU125KUP3TF	BVU125KUP3	LVU125KUP3-4Fach		BVU125KUP3TF
166	**400**	LVU125KUP3A	LVU125KUP3TFA	BVU125KUP3A			
170	**550**				GBVU125KUP3TF		
175	**400**	GLVU125KUP3	GLVU125KUP3TF	GBVU125KUP3			
178	**500**	SLVU125KUP3	SLVU125KUP3TF	SBVU125KUP3	SLVU125KUP3 + 2 RF		SBVU125KUP3TF
185	**500**	LVU150KUP3	LVU150KUP3TF	BVU150KUP3	LVU150KUP3-4Fach	SLVU125KUP3TFS	BVU150KUP3TF
200	**850**	GLVU160KUP3	GLVU160KUP3TF	GBVU160KUP3			
205	**650**	GLVU150KUP3	GLVU150KUP3TF	GBVU150KUP3	GBVU150KUP3TF		
210	**660**	SLVU150KUP3	SLVU150KUP3TF	SBVU150KUP3	SLVU150KUP3 + 2 RF	SLVU150KUP3TFS	SBVU150KUP3TF
235	**800**	SLVU180KUP3	SLVU180KUP3TF	SBVU180KUP3	SLVU180KUP3 + 2 RF	SLVU180KUP3TFS	SBVU180KUP3TF
245	**1000**	SLVU200KUP3	SLVU200KUP3TF	SBVU200KUP3	SLVU200KUP3 + 2 RF	SLVU200KUP3TFS	SBVU200KUP3TF
250	**900**	GLVU180KUP3	GLVU180KUP3TF	GBVU180KUP3	GBVU180KUP3TF		
260	**1000**				GBVU200KUP3TF		
260	**1100**	GLVU200KUP3	GLVU200KUP3TF	GBVU200KUP3			
298	**800**	SLVU250KUP3	SLVU250KUP3TF	SBVU250KUP3			
305	**1400**	GLVU250KUP4	GLVU250KUP4FR	GBVU250KUP4			

*Load capacity 350 kg

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Vulkollan® wheels with full aluminium core

LDMVU030KUPL		
LDMVU033KUPL	LDMVU033KUPLTF	BDVU033KUPL
SLDVU050KUPLS		
LDMVU040KUPL	LDMVU040KUPLTF	
LDMVU050KUPL	LDMVU050KUPLTF	BDMVU050KUPL
LDMVU050KUPLS	LDMVU050KUPLSTF	BDVU050KUPLS
LDVU080KUP3		BDVU080KUP3
LDVU100KUP3	LDVU100KUP3TF	BDVU100KUP3
LDVU100KUP1	LDVU100KUP1TF	BDVU100KUP1

Further applications of Vulkollan®:

Driving wheel with Vulkollan® coating

Castor Munich: non turnable brake + directional lock

		mm	kg
T5LMVU033KUP1/76		76	450
TLMVU033KUP1/76		76	300
T5LMVU033KUP3/85		85	500
TLMVU033KUP3/85		85	300
TLMVU033KUP3S/95		95	300
TLMVU040KUP1/96	TLDMVU040KUP1/96	96	450
TLMVU040KUP3/101	TLDMVU040KUP3/101	101	450
TLMVU050KUP1 /101	TLDMVU050KUP1S/101	101	450
TLMVU050KUP1S/101	TLDMVU050KUP1/101	101	450
TLMVU050KUP3/106	TLDMVU050KUP3/106	106	450
TLMVU050KUP3/108	TLDMVU050KUP3/108	108	450
TLMVU050KUP3S/108	TLDMVU050KUP3S/108	108	450
TLMVU050KUP3S/115	TLDMVU050KUP3S/115	115	450
TLMVU050KUP3SS/115	TLDMVU050KUP3SS/115	115	450
TLVU065KUP1/117		117	450
TLVU075KUP1/123		123	450
TLVU065KUP1/125		125	450
TLVU065KUP3/125		125	500
TLVU080KUP1/125		125	450
	TLDVU060KUP1/125	125	400
	TLDVU060KUP3/125	125	400
TLVU065KUP1S/128		128	450
TLVU075KUP3/130	TLDVU075KUP3/130	130	500
TLVU080KUP3/133	TLDVU080KUP3/133	133	500
TLVU080KUP3/148	TLDVU080KUP3/148	148	500
TLVU080KUP1S/155	TLDVU080KUP1/155	155	450
TLVU080KUP3S/155		155	600
	TLDVU080KUP3/155	155	750
TLVU100KUP3L/160	TLDVU100KUP3L/160	160	600
TLVU100KUP3R/160		160	600
TLVU100KUP3/164	TLDVU100KUP3/164	164	600
TLVU100KUP3/166	TLDVU100KUP3/166	166	1000
TLVU100KUP3S/178	TLDVU100KUP3S/178	178	1000
TSLVU100KUP3S/185	TLDVU100KUP3SS/185	185	1000
TLVU125KUP3/196	TLDVU125KUP3/196	196	750
TLVU125KUP3S/210	TLDVU125KUP3S/210	210	750
TSLVU125KUP3SS/221	TSLDVU125KUP3SS/220	221	1000
TLVU150KUP3S/230		230	1000
TLVU150KUP3/235		235	600
TLVU150KUP3SS/245		245	1000
TSLVU150KUPS/254		254	2000
TSLVU180KUPS/298		298	2000
TSLVU200KUPS/305		305	2000

Polyurethane wheels with full aluminium core

mm	dyn. kg						
51	100	LMPUS033KUPL	LMPUS033KUPLTF	BMPUS033KUPL			
72	150	LMPUSS050KUPL	LMPUSS050KUPLTF	BMPUSS050KUPL			
73	50	LPUSS050KUPL	LPUSS050KUPLTF	BPUSS050KUPL			
82	150	LMPUSS050KUPLS	LMPUSS050KUPLSTF	BPUSS050KUPLS	LPUSS050KUPL-4RF		
93	200	LPUSS065KUP1	LPUSS065KUP1TF	BPUSS065KUP1			
96	200				LPUSS065KUP1-4Fach		
100	200	LPUSS080KUP1	LPUSS080KUP1TF	BPUSS080KUP1	LPUSS075KUP1-4Fach		
103	200				LPUSS080KUP1-4Fach		
115	250	LPUSS080KUP3	LPUSS080KUP3TF	BPUSS080KUP3	LPUSS080KUP3-4/8RF		BPUSS080KUP3TF
120	250	SLPUSS080KUP1	SLPUSS080KUP1TF	SBPUSS080KUP1			
125	350					SLPUSS075KUP3TFS	
125	400	LPUSS100KUP3	LPUSS100KUP3TF	BPUSS100KUP3	LPUSS100KUP3-4/8RF*		BPUSS100KUP3TF
128	320	LPUSS100KUP1	LPUSS100KUP1TF	BPUSS100KUP1			
130	350	SLPUSS100KUP1	SLPUSS100KUP1TF	SBPUSS100KUP1			
132,5	200	GLPUSS065KUP1		GBPUSS065KUP1			
140	300	GLPUSS080KUP1		GBPUSS080KUP1			
148	350	SLPUSS100KUP3		SBPUSS100KUP3	SLPUSS100KUP3+2RF	SLPUSS100KUP3TFS	SBPUSS100KUP3TF
148	500						
150	350	GLPUSS100KUP1	GLPUSS100KUP1TF	GBPUSS100KUP1			
155	500	LPUSS125KUP3	LPUSS125KUP3TF	BPUSS125KUP3	LPUSS125KUP3-4Fach		BPUSS125KUP3TF
160	400	GLPUSS125KUP1	GLPUSS125KUP1TF	GBPUSS125KUP1			
165	500	LPUSS125KUP3A	LPUSS125KUP3TFA	BPUSS125KUP3A			
178	500				SLPUSS125KUP3+2RF		SBPUSS125KUP3TF
178	500	SLPUSS125KUP3	SLPUSS125KUP3TF	SBPUSS125KUP3			
184	600						
185	500	LPUSS150KUP3	LPUSS150KUP3TF	BPUSS150KUP3	LPUSS150KUP3-4Fach	SLPUSS125KUP3TFS	BPUSS150KUP3TF
197	750						
210	660	SLPUSS150KUP3	SLPUSS150KUP3TF	SBPUSS150KUP3	SLPUSS150KUP3+2RF	SLPUSS150KUP3TFS	SBPUSS150KUP3TF
210	1000						

Polyurethane wheels with full aluminium core

LDMPUS033KUPL	LDMPUS033KUPLTF	BDPUS033KUPL
LDMPUSS050KUPL	LDMPUSS050KUPLTF	BDMPUSS050KUPL
LDMPUSS050KUPLS	LDMPUSS050KUPLSTF	BDPUSS050KUPLS
LDPUS100KUP3	LDPUS100KUP3TF	BDPUS100KUP3
LDPUS100KUP1		BDPUS100KUP1
F		
SLDPUS100KUP3		SBDPUS100KUP3
F		
LDPUS100KUP4A		BDPUS100KUP4A
LDPUSS125KUP4A	LDPUSS125KUP4TFA	BDPUSS125KUP4A
F		
LDPUSS150KUP4A	LDPUSS150KUP4TFA	BDPUSS150KUP4A

		mm	kg (dyn.)
T5LMPUS033KUP1/75		**75**	**450**
TLMPUS033KUP1/76	TLDMPUS033KUP1/76	**76**	**300**
TLMPUS033KUP3/85		**85**	**300**
T5LMPUS033KUP3/85		**85**	**500**
TLMPUS033KUP3S/95		**95**	**300**
TLMPUSS050KUP1S/101		**101**	**350**
TLMPUSS050KUP1/101	TLDMPUSS050KUP1/101	**101**	**450**
TLMPUSS050KUP3/106	TLDMPUSS050KUP3/106	**106**	**450**
TLMPUSS050KUP3/108	TLDMPUSS050KUP3/108	**108**	**450**
TLMPUSS050KUP3S/108		**108**	**450**
TLMPUSS050KUP3S/115	TLDMPUSS050KUP3S/115	**115**	**450**
TLMPUSS050KUP3SS/115		**115**	**450**
TLPUSS065KUP1/116		**116**	**350**
TLPUSS075KUP1/122		**122**	**350**
TLPUSS080KUP1/124		**124**	**350**
TLPUSS065KUP1/125		**125**	**350**
TLPUSS065KUP3/125		**125**	**500**
TLPUSS065KUP1S/128		**128**	**350**
TLPUSS075KUP3/130		**130**	**500**
TLPUSS080KUP3/133		**133**	**500**
TLPUSS080KUP3/148		**148**	**500**
TLPUSS080KUP1S/155		**155**	**350**
TLPUS075KUPS/155		**155**	**750**
TLPUSS080KUP3S/155		**155**	**600**
TLPUSS100KUP3R/160		**160**	**600**
TLPUSS100KUP3L/160	TLDPUS100KUP3L/160	**160**	**600**
TLPUSS100KUP3/164	TLDPUS100KUP3/164	**164**	**600**
TLPUSS100KUP3/166	TLDPUS100KUP3/166	**166**	**1000**
TLPUSS100KUP3S/178	TLDPUS100KUP3S/178	**178**	**1000**
TSLPUSS100KUP3S/185	TLDPUS100KUP3SS/185	**185**	**1000**
TLPUSS125KUP3/196		**196**	**600**
TLPUSS125KUP3S/210		**210**	**600**
TSLPUSS125KUP3SS/221		**221**	**600**
TLPUSS150KUP3S/230		**230**	**900**
TLPUSS150KUP3/235		**235**	**900**
TLPUSS150KUP3SS/245		**245**	**900**
TSLPUSS150KUPS/259		**259**	**1500**

Castor "Munich" - Stage swivel castor with non-turnable brake AND 4 directional lock, dyn. load capacity 350 kg

Code: SLPUSS075KUP3TFS4RF

Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Polyurethane wheels with cast aluminium core

mm	dyn. kg						
98	200	LGPT075KUP1	LGPT075KUP1TF	BGPT075KUP1			
100	200	LGPT080KUP1	LGPT080KUP1TF	BGPT080KUP1	LGPT075KUP1-4Fach		
108	120	LGPT080KUP1L	LGPT080KUP1TFL	BGPT080KUP1L			
115	250						
117	250	SLGPT080KUP1	SLGPT080KUP1TF	SBGPT080KUP1			
125	350	LGPTS100KUP3	LGPTS100KUP3TF	BGPTS100KUP3	LGPTS100KUP3-4/8RF		BGPTS100KUP3TF
127	350	SLGPT100KUP1	SLGPT100KUP1TF	SBGPT100KUP1			
128	320	LGPT100KUP1	LGPT100KUP1TF	BGPT100KUP1			
130	600	GLGPT080KUP3		GBGPT080KUP3			
133	600	GLGPT082KUP3		GBGPT082KUP3			
135	600	GLGPT085KUP3		GBGPT085KUP3			
145	400	GLGPT100KUP3	GLGPT100KUP3TF	GBGPT100KUP3			GBGPT100KUP3TF
145	590						
148	350	SLGPT100KUP3		SBGPT100KUP3	SLGPT100KUP3 + 2 RF	SLGPT100KUP3TFS	SBGPT100KUP3TF
150	295	GLGPT100KUP1	GLGPT100KUP1TF	GBGPT100KUP1			
155	320	LGPT125KUP1	LGPT125KUP1TF	BGPT125KUP1			
155	500	LGPT125KUP3	LGPT125KUP3TF	BGPT125KUP3	LGPT125KUP3-4Fach	SLGPT100KUP3TFS	BGPT125KUP3TF
164	500	LAP125KUP3	LAP125KUP3TF	BAP125KUP3			BGPT125KUP3C
165	500	LGPT125KUP3A	LGPT125KUP3TFA	BGPT125KUP3A			BGPT125KUP3A
170	1100						
175	500	GLGPT125KUP3	GLGPT125KUP3TF	GBGPT125KUP3			GBGPT125KUP3TF
178	500	SLGPT125KUP3	SLGPT125KUP3TF	SBGPT125KUP3	SLGPT125KUP3 + 2 RF		SBGPT125KUP3TF
185	500	LGPT150KUP3	LGPT150KUP3TF	BGPT150KUP3	LGPT150KUP3-4Fach	SLGPT125KUP3TFS	BGPT150KUP3
195	600	LAP160KUP3	LAP160KUP3TF	BAP160KUP3	LGPT160KUP3-4Fach		BGPT160KUP3C
197	750						
205	650	GLGPT150KUP3	GLGPT150KUP3TF	GBGPT150KUP3			GBGPT150KUP3TF
210	660	SLGPT150KUP3	SLGPT150KUP3TF	SBGPT150KUP3	SLGPT150KUP3 + 2 RF	SLGPT150KUP3TFS	SBGPT150KUP3TF
210	1000						
212	1600						
235	800	SLGPT180KUP3	SLGPT180KUP3TF	SBGPT180KUP3	SLGPT180KUP3 + 2 RF	SLGPT180KUP3TFS	SBGPT180KUP3TF
238	600	LGPT175KUP3A	LGPT175KUP3TFA	BGPT175KUP3A	LGPT175KUP3-4Fach		BGPT175KUP3A
241	700	LGPT180KUP3A	LGPT180KUP3TFA	BGPT180KUP3A	LGPT180KUP3-4Fach	SLGPT150KUP3TFS	BGPT180KUP3A
245	700	LAP200KUP3	LAP200KUP3TF	BAP200KUP3	LGPT200KUP3-4Fach	SLGPT180KUP3TFS	BGPT200KUP3C
245	1000	SLGPT200KUP3	SLGPT200KUP3TF	SBGPT200KUP3	SLGPT200KUP3 + 2 RF	SLGPT200KUP3TFS	SBGPT200KUP3TF
250	900	GLGPT180KUP3	GLGPT180KUP3TF	GBGPT180KUP3			GBGPT180KUP3TF
254	1800						
260	1000	GLGPT200KUP3	GLGPT200KUP3TF	GBGPT200KUP3			GBGPT200KUP3TF
260	1800						
264	2000						
270	2000						
298	800	SLGPT250KUP3	SLGPT250KUP3TF	SBGPT250KUP3			
305	1400	GLGPT250KUP4	GLGPT250KUP4FR	GBGPT250KUP4			

Polyurethane wheels with cast aluminium core

LDGP080KUP3	LDGP080KUP3TF	BDGP080KUP3
LDGP100KUP3	LDGP100KUP3TF	BDGP100KUP3
SLDGP100KUP3	SLDGP100KUP3TF	SBDGP100KUP3
LDGP125KUP3	LDGP125KUP3TF	BDGP125KUP3
LDGP125KUP4A	LDGP125KUP4TFA	BDGP125KUP4A
LDGP150KUP4A	LDGP150KUP4TFA	BDGP150KUP4A
LDGP150KUP4	LDGP150KUP4TF	BDGP150KUP4
LDGP180KUP4		BDGP180KUP4
LDGP180KUP4A	LDGP180KUP4TFA	BDGP180KUP4A
LDGP200KUP4	LDGP200KUP4TF	BDGP200KUP4
LDGP200KUP4A	LDGP200KUP4TFA	BDGP200KUP4A

		mm	kg (dyn.)
TLGPT075KUP1/122		**122**	**450**
TLGPT080KUP1/124		**124**	**450**
TLGPT075KUP3/130	TLDGP075KUP3/130	**130**	**500**
TLGPT080KUP3/133	TLDGP080KUP3/133	**133**	**500**
TLGPT080KUP3/148	TLDGP080KUP3/148	**148**	**500**
	TLDGP080KUP1/155	**155**	**350**
TLGPT080KUP1S/155		**155**	**450**
TLGPT080KUP3S/155		**155**	**600**
	TLDGP080KUP3/155	**155**	**750**
TLGPT100KUP3L/160	TLDGP100KUP3L/160	**160**	**600**
TLGPT100KUP3R/160		**160**	**600**
TLGPT100KUP3/164	TLDGP100KUP3/164	**164**	**600**
TLGPT100KUP3/166	TLDGP100KUP3/166	**166**	**1000**
TLGPT100KUP3S/178	TLDGP100KUP3S/178	**178**	**1000**
TSLGPT100KUP3S/185	TLDGP100KUP3SS/185	**185**	**1000**
TLGPT125KUP3/196	TLDGP125KUP3/196	**196**	**1000**
TLGPT125KUP3S/210	TLDGP125KUP3S/210	**210**	**1000**
TSLGPT125KUP3SS/221	TSLDGP125KUP3SS/220	**221**	**1000**
TLGPT150KUP3S/230		**230**	**1000**
TLGPT150KUP3/235		**235**	**600**
TLGPT150KUP3SS/245		**245**	**1000**
TSLGPT150KUPS/259		**259**	**2000**
TSLGPT175KUPS/298		**298**	**2000**
TSLGPT180KUPS/298		**298**	**2000**
TSLGPT200KUPS/305		**305**	**2000**

Inline / Skater Castors

mm	dyn. kg						
100	**60**	LKP075KUPL	LKP075KUPLTF	BKP075KUPL			
100	**80**				LDKP075KUPL	LDKP075KUPLTF	
120	**80**	LKP100KUPL	LKP100KUPLTF	BKP100KUPL			
125	**200**				LDKP100KUP3	LDKP100KUP3TF	BDKP100KUP3
128	**200**				LDKP100KUP1		
135	**80**	KLP100KPL1	KLP100KPL1TF	KBP100KPL1			
155	**200**				LDKP125KUP3	LDKP125KUP3TF	BDKP125KUP3
161	**100**	KLP125KPL1	KLP125KPL1TF	KBP125GPL1			

mm	dyn. kg						
71	**40**	LKP050KUPL SC	LKP050KUPLTF SC	BKP050KUPL SC			
71	**80**				LDKP050KUPL SC	LDKP050KUPLTF SC	BDKP050KUPL SC
100	**60**	LKP075KUPL SC	LKP075KUPLTF SC	BKP075KUPL SC			
100	**80**				LDKP075KUPL SC	LDKP075KUPLTF SC	
125	**200**				LDKP100KUP3 SC	LDKP100KUP3TF SC	BDKP100KUP3 SC

Black polyurethane castors on polyamide core

mm	dyn. kg						
125	**300**	LVPSS100KUP3	LVPSS100KUP3TF	BVPSS100KUP3	LVPSS100KUP3-4Fach	LVPSS100KUP3TFS	BVPSS100KUP3TF
125	**300**				LVPSS100KUP3-8Fach		
128	**300**	LVPSS100KUP1	LVPSS100KUP1TF	BVPSS100KUP1			

Inline / Skater Turtles

	mm	kg (dyn.)
TLDKP075KUP1/125	125	240
TLDKP075KUP3/134	134	240
TLDKP100KUP1/156	156	450
TLDKP100KUP3R/160	160	600
TLDKP100KUP3L/160	160	600
TLDKP100KUP3/164	164	600
TLDKP100KUP3/166	166	600
TLDKP100KUP3S/178	178	600
TSLDKP100KUP3S/185	185	600
TLDKP125KUP3/196	196	600
TLDKP125KUP3S/210	210	600
TSLDKP125KUP3SS/221	221	600

	mm	kg (dyn.)
TLDMKP050KUP1SC/94	94	240
TLDMKP050KUP3SC/103	103	240
TLDMKP050KUP3SC/115	115	240
TLDKP075KUP1SC/125	125	240
TLDKP075KUP3SC/134	134	240
TLDKP100KUP1SC/156	156	450
TLDKP100KUP3SC/164	164	600
TLDKP100KUP3SC/166	166	600

	mm	kg (dyn.)
TLVPSS100KUP3L/160	160	600
TLVPSS100KUP3/164	164	600
TLVPSS100KUP3/166	166	900
TLVPSS100KUP3/178	178	900
TLVPSS100KUP3/185	185	900

Polyurethane wheels with polyamide core

mm	dyn. kg						
47	40						
48	66						
52	60	LGPK035KUPL	LGPK035KUPLTF	BGPK035KUPL			
52	80						
67	140						
68	40	LGPK040KUPL	LGPK040KUPLTF	BGPK040KUPL			
69	150						
70	40	LGPK046KUPL	LGPK046KUPLTF	BGPK046KUPL			
72	120	LMGPK050KUPL	LMGPK050KUPLTF	BMGPK050KUPL			
73	40	LGPK050KUPL	LGPK050KUPLTF	BGPK050KUPL			
82	120	LMGPK050KUPLS	LMGPK050KUPLSTF	BGPK050KUPLS	LGPK050KUPL-4Fach		
100	50	LGPK075KUPL	LGPK075KUPLTF	BGPK075KUPL			
100	80						
100	150	LGPK080KUP1	LGPK080KUP1TF	BGPK080KUP1			
103	150				LGPK080KUP1-4Fach		
120	150	SLGPK080KUP1	SLGPK080KUP1TF	SBGPK080KUP1			
125	150	GLGPK080KUP1		GBGPK080KUP1			
125	200	LGPK100KUP3	LGPK100KUP3TF	BGPK100KUP3	LGPK100KUP3-4/8RF	SLGPK080KUP3TFS	BGPK100KUP3TF
128	200	LGPK100KUP1	LGPK100KUP1TF	BGPK100KUP1			
130	200	SLGPK100KUP1	SLGPK100KUP1TF	SBGPK100KUP1			
145	250	GLGPK100KUP3		GBGPK100KUP3			GBGPK100KUP3TF
148	200	SLGPK100KUP3		SBGPK100KUP3	SLGPK100KUP3 + 2 RF	SLGPK100KUP3TFS	SBGPK100KUP3TF
150	250	GLGPK100KUP1	GLGPK100KUP1TF	GBGPK100KUP1			
155	280	LGPK125KUP1	LGPK125KUP1TF	BGPK125KUP1			
155	280	LGPK125KUP3	LGPK125KUP3TF	BGPK125KUP3	LGPK125KUP3-4Fach	SLGPK100KUP3TFS	BGPK125KUP3TF
163	280	GLGPK125KUP1	GLGPK125KUP1TF	GBGPK125KUP1			
165	280	LGPK125KUP3A	LGPK125KUP3TFA	BGPK125KUP3A			
170	350	GLGPK125KUP3	GLGPK125KUP3TF	GBGPK125KUP3			GBGPK125KUP3TF
178	280	SLGPK125KUP3	SLGPK125KUP3TF	SBGPK125KUP3	SLGPK125KUP3 + 2 RF		SBGPK125KUP3TF
185	400	LGPK150KUP3	LGPK150KUP3TF	BGPK150KUP3	LGPK150KUP3-4Fach	SLGPK125KUP3TFS	BGPK150KUP3TF
195	400	LGPK160KUP3	LGPK160KUP3TF	BGPK160KUP3	LGPK160KUP3-4Fach		BGPK160KUP3TF
197	700						
205	400	GLGPK150KUP3	GLGPK150KUP3TF	GBGPK150KUP3			GBGPK150KUP3TF
210	400	SLGPK150KUP3	SLGPK150KUP3TF	SBGPK150KUP3	SLGPK150KUP3 + 2 RF	SLGPK150KUP3TFS	SBGPK150KUP3TF
210	400	GLGPK160KUP3	GLGPK160KUP3TF	GBGPK160KUP3			GBGPK160KUP3TF
210	800						
215	400	SLGPK160KUP3	SLGPK160KUP3TF	SBGPK160KUP3	SLGPK160KUP3 + 2 RF		SBGPK160KUP3TF
235	500	LGPK200KUP3	LGPK200KUP3TF	BGPK200KUP3	LGPK200KUP3-4Fach		BGPK200KUP3TF
245	600	SLGPK200KUP3	SLGPK200KUP3TF	SBGPK200KUP3	SLGPK200KUP3 + 2 RF	SLGPK200KUP3TFS	SBGPK200KUP3TF
250	800						
260	600	GLGPK200KUP3	GLGPK200KUP3TF	GBGPK200KUP3			GBGPK200KUP3TF
270	1200						

Polyurethane wheels with polyamide core

LDGPK025KUPL	LDGPK025KUPLTF	
LDMGPK030KUPL		
LDMGPK035KUPL	LDMGPK035KUPLTF	
LDMGPK040KUPL	LDMGPK040KUPLTF	
LDMGPK045KUPL	LDMGPK045KUPLTF	
LDMGPK050KUPL	LDMGPK050KUPLTF	BMDGPK050KUPL
LDMGPK050KUPLS	LDMGPK050KUPLSTF	BDGPK050KUPLS
LDGPK075KUPL	LDGPK075KUPLTF	
F		
F		
F		
F		
LDGPK125KUP4A	LDGPK125KUP4TFA	BDGPK125KUP4A
F		
F		
F		
LDGPK150KUP4A	LDGPK150KUP4TFA	BDGPK150KUP4A
F		
F		
LDGPK160KUP4A	LDGPK160KUP4TFA	BDGPK160KUP4A
F		
LDGPK200KUP4A	LDGPK200KUP4TFA	BDGPK200KUP4A

		mm	dyn. kg
	T5LDMGPK025KUP1/70	70	200
	T5LDMGPK030KUP1/72	72	220
	TLDMGPK025KUP1/73	73	120
	TLDMGPK030KUP1/74	74	132
	TLDMGPK035KUP1/76	76	240
	T5LDMGPK025KUP3/78	78	200
	TLDMGPK025KUP3/80	80	120
	T5LDMGPK030KUP3/80	80	220
	TLDMGPK030KUP3/82	82	132
	TLDMGPK035KUP3/86	86	240
	TLDMGPK040KUP1/96	96	450
	TLDMGPK045KUP1/98	98	450
TLMGPK050KUP1/101		101	300
	TLDMGPK040KUP3/101	101	450
	TSLDGPK050KUP3/101	101	360
	TLDMGPK050KUP1/101	101	360
	TLDMGPK045KUP3/103	103	450
TLMGPK050KUP3/108		108	300
	TLDMGPK050KUP3/108	108	360
TLMGPK050KUP3S/115		115	300
	TLDMGPK050KUP3S/115	115	360
	TLDGPK075KUP1/121	121	240
TLGPK080KUP1/124		124	450
	TLDGPK075KUP3/128	128	240
TLGPK080KUP3/133		133	450
TLGPK080KUP3/148		148	450
TLGPK080KUP1S/155		155	450
TLGPK080KUP3S/155		155	450
TLGPK100KUP3R/160		160	600
TLGPK100KUP3L/160		160	600
TLGPK100KUP3/164		164	600
TLGPK100KUP3/166		166	750
TLGPK100KUP3S/178		178	750
TSLGPK100KUP3S/185		185	750
TLGPK125KUP3/196		196	1000
TLGPK125KUP3S/210		210	1000
TSLGPK125KUP3SS/221		221	1000
TLGPK150KUP3S/230		230	1000
TLGPK150KUP3/235		235	600
TLGPK150KUP3SS/245		245	1000
TSLGPK160KUPS/245		245	1000
TSLGPK150KUPS/259		259	1000
TSLGPK200KUPS/305		305	1000

Soft polyurethane wheels with cast aluminium core

mm	kg						
125	**200**	LGPW100KUP3	LGPW100KUP3TF	BGPW100KUP3	LGPW100KUP3-4/8RF		BGPW100KUP3TF
127	**200**	SLGPW100KUP1	SLGPW100KUP1TF	SBGPW100KUP1			
128	**200**	LGPW100KUP1	LGPW100KUP1TF	BGPW100KUP1			
145	**200**	GLGPW100KUP3		GBGPW100KUP3			GBGPW100KUP3TF
148	**200**	SLGPW100KUP3		SBGPW100KUP3	SLGPW100KUP3 + 2 RF	SLGPW100KUP3TFS	SBGPW100KUP3TF
150	**200**	GLGPW100KUP1	GLGPW100KUP1TF	GBGPW100KUP1			
155	**300**	LGPW125KUP1	LGPW125KUP1TF	BGPW125KUP1	LGPW125KUP3-4Fach		
155	**300**	LGPW125KUP3	LGPW125KUP3TF	BGPW125KUP3	LGPW100KUP3-8Fach	SLGPW100KUP3TFS	BGPW125KUP3TF
165	**300**	LGPW125KUP3A	LGPW125KUP3TFA	BGPW125KUP3A			
170	**300**	GLGPW125KUP3	GLGPW125KUP3TF	GBGPW125KUP3			GBGPW125KUP3TF
170	**600**						
178	**300**	SLGPW125KUP3	SLGPW125KUP3TF	SBGPW125KUP3	SLGPW125KUP3 + 2 RF		SBGPW125KUP3TF
185	**300**	LGPW150KUP3	LGPW150KUP3TF	BGPW150KUP3	LGPW150KUP3-4Fach	SLGPW125KUP3TFS	BGPW150KUP3TF
197	**600**						
205	**300**	GLGPW150KUP3	GLGPW150KUP3TF	GBGPW150KUP3			GBGPW150KUP3TF
205	**500**	LGPW160KUP3	LGPW160KUP3TF	BGPW160KUP3	LGPW160KUP3-4Fach		BGPW160KUP3TF
210	**300**	SLGPW150KUP3	SLGPW150KUP3TF	SBGPW150KUP3	SLGPW150KUP3 + 2 RF	SLGPW150KUP3TFS	SBGPW150KUP3TF
210	**600**						
212	**600**						
245	**700**	LGPW200KUP3	LGPW200KUP3TF	BGPW200KUP3	LGPW200KUP3-4Fach	SLGPW180KUP3TFS	BGPW200KUP3TF
245	**700**	SLGPW200KUP3	SLGPW200KUP3TF	SBGPW200KUP3	SLGPW200KUP3 + 2 RF	SLGPW200KUP3TFS	SBGPW200KUP3TF
254	**1000**						
260	**700**	GLGPW200KUP3	GLGPW200KUP3TF	GBGPW200KUP3			GBGPW200KUP3TF
260	**1000**						
264	**1400**						
270	**1400**						

Soft polyurethane wheels with cast aluminium core

TF			
F			
TF			
	LDGPW125KUP3	LDGPW125KUP3TF	BDGPW125KUP3
F			
	LDGPW125KUP4A	LDGPW125KUP4TFA	BDGPW125KUP4A
TF			
F			
	LDGPW150KUP4A	LDGPW150KUP4TFA	BDGPW150KUP4A
	LDGPW150KUP4	LDGPW150KUP4TF	BDGPW150KUP4
F			
	LDGPW180KUP4		BDGPW180KUP4
TF			
	LDGPW180KUP4A	LDGPW180KUP4TFA	BDGPW180KUP4A
	LDGPW200KUP4	LDGPW200KUP4TF	BDGPW200KUP4
	LDGPW200KUP4A	LDGPW200KUP4TFA	BDGPW200KUP4A

	mm	kg (dyn.)
TLGPW100KUP3R/160	**160**	**600**
TLGPW100KUP3L/160	**160**	**600**
TLGPW100KUP3/164	**164**	**600**
TLGPW100KUP3/166	**166**	**600**
TLGPW100KUP3S/178	**178**	**600**
TSLGPW100KUP3S/185	**185**	**600**
TLGPW125KUP3/196	**196**	**900**
TLGPW125KUP3S/210	**210**	**900**
TSLGPW125KUP3SS/221	**221**	**900**
TLGPW150KUP3S/230	**230**	**900**
TLGPW150KUP3/235	**235**	**900**
TLGPW150KUP3SS/245	**245**	**900**
TSLGPW150KUPS/259	**259**	**900**
TSLGPW175KUPS/298	**298**	**1000**
TSLGPW180KUPS/298	**305**	**1000**
TSLGPW200KUPS/305	**305**	**1000**

Soft polyurethane wheels with full aluminium core

mm	dyn. kg						
51	80	LMPUW033KUPL	LMPUW033KUPLTF	BPUW033KUPL			
51	100						
72	125	LMPUW050KUPL	LMPUW050KUPLTF	BMPUW050KUPL			
72	150						
82	125	LMPUW050KUPLS	LMPUW050KUPLSTF	BPUW050KUPLS	LPUW050KUPL-4Fach		
82	150						
100	200	LPUW080KUP1	LPUW080KUP1TF	BPUW080KUP1	LPUW075KUP1-4Fach		
103	200				LPUW080KUP1-4Fach		
115	250	LPUW080KUP3	LPUW080KUP3TF	BPUW080KUP3	LPUW080KUP3-4Fach		BPUW080KUP3TF
115	250				LPUW080KUP3-8Fach		
115	350						
120	250	SLPUW080KUP1	SLPUW080KUP1TF	SBPUW080KUP1			
125	250	GLPUW080KUP1		GBPUW080KUP1			
125	300	LPUW100KUP3	LPUW100KUP3TF	BPUW100KUP3	LPUW100KUP3-4/8RF	SLPUW080KUP3TFS	BPUW100KUP3TF
125	350						
127	300	SLPUW100KUP1	SLPUW100KUP1TF	SBPUW100KUP1			
128	300	LPUW100KUP1	LPUW100KUP1TF	BPUW100KUP1			
130	350						
148	300	SLPUW100KUP3		SBPUW100KUP3	SLPUW100KUP3+2RF	SLPUW100KUP3TFS	SBPUW100KUP3TF
148	500						
150	300	GLPUW100KUP1	GLPUW100KUP1TF	GBPUW100KUP1			

Soft polyurethane wheels with full aluminium core



LDMPUW033KUPL	LDMPUW033KUPLTF	BDPUW033KUPL
LDMPUW050KUPL	LDMPUW050KUPLTF	BMDPUW050KUPL
LDMPUW050KUPLS	LDMPUW050KUPLSTF	BDPUW050KUPLS
LDPUW080KUP3		BDPUW080KUP3
LDPUW100KUP3	LDPUW100KUP3TF	BDPUW100KUP3
LDPUW100KUP1		BDPUW100KUP1
SLDPUW100KUP1	SLDPUW100KUP1TF	SBDPUW100KUP1
F		
SLDPUW100KUP3		SBDPUW100KUP3

		mm	kg (dyn.)
TLMPUW033KUP1/76		**76**	**240**
	TLDMPUW033KUP1/76	**76**	**300**
T5LMPUW033KUP1/76		**76**	**400**
	T5LDMPUW033KUP1/76	**76**	**450**
TLMPUW050KUP1/101	TLDMPUW050KUP1/101	**101**	**350**
TLMPUW050KUP3/108	TLDMPUW050KUP3/108	**108**	**450**
TLMPUW050KUP3S/115	TLDMPUW050KUP3S/115	**115**	**450**
TLPUW080KUP3/133	TLDPUW080KUP3/133	**133**	**500**
TLPUW080KUP3/148	TLDPUW080KUP3/148	**148**	**500**
TLPUW080KUP1/155	TLDPUW080KUP1/155	**155**	**350**
TLPUW080KUP3/155	TLDPUW080KUP3/155	**155**	**750**
TLPUW100KUP3L/160	TLDPUW100KUP3L/160	**160**	**600**
TLPUW100KUP3/164	TLDPUW100KUP3/164	**164**	**900**
TLPUW100KUP3/166	TLDPUW100KUP3/166	**166**	**900**
TLPUW100KUP3S/178	TLDPUW100KUP3S/178	**178**	**900**
TLPUW100KUP3SS/185	TLDPUW100KUP3SS/185	**185**	**900**

Elastic rubber wheels with polyamide core



mm	kg (dyn.)						
100	**100**	LAGT080ROP1	LAGT080ROP1TF	BAGT080ROP1			
103	**100**				LAGT080ROP1-4Fach		
108	**100**	LAGT080ROP1L	LAGT080ROP1TFL	BAGT080ROP1L			
120	**100**	SLAGT080ROP1	SLAGT080ROP1TF	SBAGT080ROP1			
125	**150**		LAGT100ROP3TF	BAGT100ROP3	LAGT100ROP3-4/8RF	SLAGT080ROP3TFS	BAGT100ROP3TF
128	**150**	LAGT100ROP1	LAGT100ROP1TF	BAGT100ROP1			
128	**150**	LAGT100KUP1	LAGT100KUP1TF	BAGT100KUP1			
128	**180**	SLAG100KUP1	SLAG100KUP1TF	SBAG100KUP1			
145	**180**	GLAG100KUP3		GBAG100KUP3			GBAG100KUP3TF
148	**180**	SLAG100KUP3		SBAG100KUP3	SLAG100KUP3 + 2 RF	SLAG100KUP3TFS	SBAG100KUP3TF
150	**180**	GLAG100KUP1	GLAG100KUP1TF	GBAG100KUP1			
155	**200**	LAG125KUP1	LAG125KUP1TF	BAG125KUP1			
155	**250**	LAG125KUP3	LAG125KUP3TF	BAG125KUP3	LAG125KUP3-4Fach	SLAG100ROP3TFS*	BAG125KUP3TF
163	**200**	GLAG125KUP1	GLAG125KUP1TF	GBAG125KUP1			
165	**250**	LAG125KUP3A	LAG125KUP3TFA	BAG125KUP3A			
170	**250**	GLAG125KUP3	GLAG125KUP3TF	GBAG125KUP3			GBAG125KUP3TF
170	**500**						
178	**250**	SLAG125KUP3	SLAG125KUP3TF	SBAG125KUP3	SLAG125KUP3 + 2 RF		SBAG125KUP3TF
195	**300**	LAG160KUP3	LAG160KUP3TF	BAG160KUP3	LAG160KUP3-4Fach		BAG160KUP3TF
197	**500**						
200	**300**	GLAG160KUP3	GLAG160KUP3TF	GBAG160KUP3			GBAG160KUP3TF
215	**300**	SLAG160KUP3	SLAG160KUP3TF	SBAG160KUP3	SLAG160KUP3 + 2 RF	SLAG160KUP3TFS	SBAG160KUP3TF
225	**350**	LAG180KUP3	LAG180KUP3TF	BAG180KUP3	LAG180KUP3-4Fach	SLAG150KUP3TFS	BAG180KUP3TF
235	**350**	SLAG180KUP3	SLAG180KUP3TF	SBAG180KUP3	SLAG180KUP3 + 2 RF	SLAG180KUP3TFS	SBAG180KUP3TF
235	**400**	LAG200KUP3	LAG200KUP3TF	BAG200KUP3	LAG200KUP3-4Fach	SLAG180KUP3TFS	BAG200KUP3TF
245	**400**	SLAG200KUP3	SLAG200KUP3TF	SBAG200KUP3	SLAG200KUP3 + 2 RF	SLAG200KUP3TFS	SBAG200KUP3TF
250	**350**	GLAG180KUP3	GLAG180KUP3TF	GBAG180KUP3			GBAG180KUP3TF
250	**600**						
254	**700**						
260	**400**	GLAG200KUP3	GLAG200KUP3TF	GBAG200KUP3			GBAG200KUP3TF
260	**700**						
264	**800**						
270	**800**						
298	**550**	SLAG250KUP3	SLAG250KUP3TF	SBAG250KUP3			
305	**550**	GLAG250KUP4	GLAG250KUP4FR	GBAG250KUP4			
314	**1100**						
320	**1100**						

Elastic rubber wheels with polyamide core



LDAG125KUP3	LDAG125KUP3TF	BDAG125KUP3
LDAG125KUP4A	LDAG125KUP4TFA	BDAG125KUP4
LDAG160KUP4A		BDAG160KUP4
LDAG180KUP4		BDAG180KUP4
LDAG180KUP4A		BDAG180KUP4
LDAG200KUP4	LDAG200KUP4TF	BDAG200KUP4
LDAG200KUP4A	LDAG200KUP4TFA	BDAG200KUP4
LDAG250KUP4	LDAG250KUP4TF	BDAG250KUP4
LDAG250KUP4A	LDAG250KUP4TFA	BDAG250KUP4

	mm	kg (dyn.)
TLAGT080ROP1/124	**124**	**300**
TLAGT080ROP3/133	**133**	**300**
TLAGT080ROP3/148	**148**	**300**
TLAGT080ROP1S/155	**155**	**300**
TLAGT080ROP3S/155	**155**	**300**
TLAGT100ROP3R/160	**160**	**450**
TLAGT100ROP3L/160	**160**	**450**
TLAGT100ROP3/164	**164**	**450**
TLAGT100ROP3/166	**166**	**450**
TLAGT100ROP3S/178	**178**	**450**
TSLAGT100ROP3S/185	**185**	**450**
TLAGT125KUP3/196	**196**	**750**
TLAGT125KUP3S/210	**210**	**750**
TSLAG125KUP3SS/221	**221**	**750**
TLAG160KUP3S/235	**235**	**900**
TLAG160KUP3/240	**240**	**900**
TLAG160KUP3SS/250	**250**	**900**
TSLAG160KUPS/259	**259**	**900**
TSLAG180KUPS/298	**298**	**1000**
TSLAG180KUPS/298	**298**	**1000**
TSLAG200KUPS/305	**305**	**1000**

Black elastic rubber wheels with polyamide core

mm	kg (dyn.)						
100	**120**	LAGTS080ROP1	LAGTS080ROP1TF	BAGTSS080ROP1			
103	**120**				LAGTS080ROP1-4Fach		
120	**100**	SLAGTS080ROP1	SLAGTS080ROP1TF	SBAGTS080ROP1			
124	**300**						TLAGTS080ROP1/124
125	**120**					SLAGTS080ROP3TFS	
125	**150**	LAGTS100KUP3	LAGTS100KUP3TF	BAGTS100KUP3	LAGTS100KUP3-4/8RF		
128	**150**	LAGTS100KUP1	LAGTS100KUP1TF	BAGTS100KUP1			
130	**180**	SLAGTS100KUP1	SLAGTS100KUP1TF	SBAGTS100KUP1			
132,5	**100**	GLAGTS080KUP1	GLAGTS080KUP1TF	GBAGTS080KUP1			
133	**300**						TLAGTS080ROP3/133
148	**180**	SLAGTS100KUP3		SBAGTS100KUP3	SLAGTS100KUP3 + 2 RF	SLAGTS100KUP3TFS	
148	**300**						TLAGTS080ROP3/148
150	**180**	GLAGTS100KUP1	GLAGTS100KUP1TF	GBAGTS100KUP1			
155	**200**	LAGTS125KUP1	LAGTS125KUP1TF	BAGTS125KUP1			
155	**250**	LAGTS125KUP3	LAGTS125KUP3TF	BAGTS125KUP3	LAGTS125KUP3-4Fach		
155	**300**						TLAGTS080ROP1S/155
155	**300**						TLAGTS080ROP3S/155
160	**250**	GLAGTS125KUP1	GLAGTS125KUP1TF	GBAGTS125KUP1			
160	**450**						TLAGTS100KUP3L/160
160	**450**						TLAGTS100KUP3R/160
163	**180**	GLAGTS100KUP3		GBAGTS100KUP3			
164	**450**						TLAGTS100KUP3/164
166	**250**	LAGTS125KUP3A	LAGTS125KUP3TFA	BAGTS125KUP3A			
166	**450**						TLAGTS100KUP3/166
175	**250**	GLAGTS125KUP3	GLAGTS125KUP3TF	GBAGTS125KUP3			
178	**250**	SLAGTS125KUP3	SLAGTS125KUP3TF	SBAGTS125KUP3	SLAGTS125KUP3 + 2 RF		
178	**450**						TLAGTS100KUP3S/178
185	**450**						TSLAGTS100KUP3S/185
195	**300**	LAGTS160KUP3	LAGTS160KUP3TF	BAGTS160KUP3	LAGTS160KUP3-4Fach		
196	**600**						TLAGTS125KUP3/196
210	**600**						TLAGTS125KUP3S/210
215	**300**	SLAGTS160KUP3	SLAGTS160KUP3TF	SBAGTS160KUP3	SLAGTS160KUP3 + 2 RF	SLAGTS160KUP3TFS	
221	**750**						TSLAGTS125KUP3SS/221
235	**350**	SLAGTS180KUP3	SLAGTS180KUP3TF	SBAGTS180KUP3	SLAGTS180KUP3 + 2 RF	SLAGTS180KUP3TFS	
235	**900**						TLAGTS160KUP3S/235
240	**300**	GLAGTS160KUP3	GLAGTS160KUP3TF	GBAGTS160KUP3			
240	**900**						TLAGTS160KUP3/240
245	**400**	SLAGTS200KUP3	SLAGTS200KUP3TF	SBAGTS200KUP3	SLAGTS200KUP3 + 2 RF	SLAGTS200KUP3TFS	
250	**350**	GLAGTS180KUP3	GLAGTS180KUP3TF	GBAGTS180KUP3			
250	**900**						TLAGTS160KUP3SS/250
259	**900**						TSLAGTS160KUPS/259
260	**400**	GLAGTS200KUP3	GLAGTS200KUP3TF	GBAGTS200KUP3			
298	**550**	SLAGTS250KUP3	SLAGTS250KUP3TF	SBAGTS250KUP3			
298	**1000**						TSLAGTS180KUPS/298
298	**1000**						TSLAGTS180KUPSS/298
305	**400**	GLAGTS250KUP4	GLAGTS250KUP4FR	GBAGTS250KUP4			
305	**1000**						TSLAGTS200KUPS/305

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Black elastic rubber wheels with polyamide core

			mm	kg (dyn.)
LKS050KUPL SC	LKS050KUPLTF SC	BKS050KUPL SC	**73**	**40**
LKS075KUPL SC	LKS075KUPLTF SC	BKS075KUPL SC	**100**	**60**

			mm	kg (dyn.)
LMKD050KUPL SC	LMKD050KUPLTF SC	BKD050KUPL SC	**73**	**40**
LKD075KUPL SC	LKD075KUPLTF SC		**100**	**80**

Soft rubber wheels on polyamide core

mm	kg (dyn.)						
35	15	LKS025GLPL		BKS025GLPL			
37	20	LKS030GLPL		BKS030GLPL			
48	40				LMKD025GLPL		BMKD025GLPL
51	40				LMKD030GLPL		BMKD030GLPL
54	40				LMKD035GLPL	LMKD035GLPLTF	BMKD035GLPL
64	35	LKS040GLPL		BKS040GLPL			
67	90				LMKD040GLPL	LMKD040GLPLTF	BMKD040GLPL
72	100				LMKD050KUPL	LMKD050KUPLTF	BMKD050KUPL
73	40	LKS050KUPL SC	LKS050KUPLTF SC	BKS050KUPL SC			
73	40	LKS050KUPL	LKS050KUPLTF	BKS050KUPL			
73	60				LKD050KUPL SC	LKD050KUPLTF SC	BKD050KUPL SC
73	60				LKD050KUPL	LKD050KUPLTF	BKD050KUPL
100	60	LKS075KUPL SC	LKS075KUPLTF SC	BKS075KUPL SC			
100	60	LKS075KUPL	LKS075KUPLTF	BKS075KUPL			
100	60	LKS075GLPL	LKS075GLPLTF	BKS075GLPL			
100	80				LKD075KUPL SC	LKD075KUPLTF SC	
100	80				LKD075KUPL	LKD075KUPLTF	
100	80	LKG080KUP1	LKG080KUP1TF	BKG080KUP1			
117	80	KLK080KUPL1	KLK080KUPL1TF	KBK080KUPL1			
117	80	KLK080KUPL2	KLK080KUPL2TF	KBK080KUPL2			
117	80	KLK080GLPL1	KLK080GLPL1TF	KBK080GLPL1			
117	80	KLK080GLPL2	KLK080GLPL2TF	KBK080GLPL2			
120	80	LKS100KUPL	LKS100KUPLTF	BKS100KUPL			
120	80	LKS100GLPL	LKS100GLPLTF	BKS100GLPL			
125	80	LKG100KUP3	LKG100KUP3TF	BKG100KUP3			
125	120				LKD100KUPL	LKD100KUPLTF	BKD100KUPL
128	80	LKG100KUP1	LKG100KUP1TF	BKG100KUP1			
135	80	KLK100KUPL1	KLK100KUPL1TF	KBK100KUPL1			
135	80	KLK100KUPL2	KLK100KUPL2TF	KBK100KUPL2			
135	80	KLK100GLPL1	KLK100GLPL1TF	KBK100GLPL1			
135	80	KLK100GLPL2	KLK100GLPL2TF	KBK100GLPL2			
155	100	LKG125KUP1	LKG125KUP1TF	BKG125KUP1			
155	100	LKG125KUP3	LKG125KUP3TF	BKG125KUP3			
161	100	KLK125KUPL1	KLK125KUPL1TF	KBK125KUPL1			
161	100	KLK125KUPL2	KLK125KUPL2TF	KBK125KUPL2			
161	100	KLK125GLPL1	KLK125GLPL1TF	KBK125GLPL1			
161	100	KLK125GLPL2	KLK125GLPL2TF	KBK125GLPL2			
180,5	150	LKG150KUPL1	LKG150KUPL1TF	BKG150KUPL1			
189	110	KLK150KUPL1	KLK150KUPL1TF	KBK150KUPL1			
189	110	KLK150KUPL2	KLK150KUPL2TF	KBK150KUPL2			
189	110	KLK150GLPL1	KLK150GLPL1TF	KBK150GLPL1			
189	110	KLK150GLPL2	KLK150GLPL2TF	KBK150GLPL2			

Soft rubber wheels on polyamide core

						mm	kg
			LKDM050KWSPL	LKDM050KWSPLTF	BKDM050KWSPL	**72**	**40**
LKS050KWSPL	LKS050KWSPLTF	BKS050KWSPL				**73**	**20**
LKS075KWSPL	LKS075KWSPLTF	BKS075KWSPL				**100**	**40**
LKG080KWSP1	LKG080KWSP1TF	BKG080KWSP1				**100**	**50**
			LKD075KWSPL	LKD075KWSPLTF		**100**	**80**
KLP080KWSPL1	KLP080KWSPL1TF	KBP080KWSPL1				**117**	**50**
KLP080KWSPL2	KLP080KWSPL2TF	KBP080KWSPL2				**117**	**50**
LKS100KWSPL	LKS100KWSPLTF	BKS100KWSPL				**120**	**50**
LKG100KWSP3	LKG100KWSP3TF	BKG100KWSP3				**125**	**50**
			LKD100KWSPL	LKD100KWSPLTF	BKD100KWSPL	**125**	**100**
LKG100KWSP1	LKG100KWSP1TF	BKG100KWSP1				**128**	**50**
KLP100KWSPL1	KLP100KWSPL1TF	KBP100KWSPL1				**135**	**50**
KLP100KWSPL2	KLP100KWSPL2TF	KBP100KWSPL2				**135**	**50**
LKG125KWSP1	LKG125KWSP1TF	BKG125KWSP1				**155**	**60**
LKG125KWSP3	LKG125KWSP3TF	BKG125KWSP3				**155**	**60**
KLP125KWSPL1	KLP125KWSPL1TF	KBP125KWSPL1				**161**	**60**
KLP125KWSPL2	KLP125KWSPL2TF	KBP125KWSPL2				**161**	**60**
			LKD125KWSPL	LKD125KWSPLTF	BKD125KWSPL	**163**	**120**
LKG150KWSPL1	LKG150KWSPL1TF	BKG150KWSPL1				**180,5**	**60**
KLP150KWSPL1	KLP150KWSPL1TF	KBP150KWSPL1				**189**	**60**
KLP150KWSPL2	KLP150KWSPL2TF	KBP150KWSPL2				**189**	**60**

Polyamide castors

mm	dyn. kg						
51	**100**	LMNYS033KUPL	LMNYS033KUPLTF	BNYS033KUPL			
72	**150**	LMNYS050KUPL	LMNYS050KUPLTF	BMNYS050KUPL			
73	**50**	LNYS050GLPL	LNYS050GLPLTF	BNYS050GLPL			
82	**150**	LMNYS050KUPLS	LMNYS050KUPLSTF	BNYS050KUPLS	LNYS050KUPL-4Fach		
93	**200**	LNYS065KUP1	LNYS065KUP1TF	BNYS065KUP1			
96	**200**				LNYS065KUP1-4Fach		
100	**125**	LNYS080ROP1	LNYS080ROP1TF	BNYS080ROP1			
100	**200**	LNYS080KUP1	LNYS080KUP1TF	BNYS080KUP1			
106	**200**				LNYS080KUP1-4Fach		
115	**125**	LNYS080ROP3	LNYS080ROP3TF	BNYS080ROP3			
115	**250**	LNYS080KUP3	LNYS080KUP3TF	BNYS080KUP3	LNYS080KUP3-4/8RF		BNY080KUP3TF
120	**250**	SLNYS080KUP1	SLNYS080KUP1TF	SBNYS080KUP1			
125	**160**	LNYS100ROP3	LNYS100ROP3TF	BNYS100ROP3			
125	**400**	LNYS100KUP3	LNYS100KUP3TF	BNYS100KUP3	LNYS100KUP3-4/8RF*	SLNYS080KUP3TFS	BNY100KUP3TF
125	**500**						
128	**160**	LNYS100ROP1	LNYS100ROP1TF	BNYS100ROP1			BNY150KUP3TF
128	**320**	LNYS100KUP1	LNYS100KUP1TF	BNYS100KUP1			
130	**350**	SLNYS100KUP1	SLNYS100KUP1TF	SBNYS100KUP1			
130	**600**	GLNYS080KUP3		GBNYS080KUP3			
132,5	**200**	GLNYS065KUP1		GBNYS065KUP1			
133	**600**	GLNYS082KUP3		GBNYS082KUP3			
135	**600**	GLNYS085KUP3		GBNYS085KUP3			
140	**300**	GLNYS080KUP1		GBNYS080KUP1			
145	**350**						GBNY100KUP3TF
148	**350**	SLNYS100KUP3		SBNYS100KUP3			SBNY100KUP3TF
148	**500**					SLNYS100KUP3TFS	
150	**350**	GLNYS100KUP1	GLNYS100KUP1TF	GBNYS100KUP1			
155	**200**	LNYS125ROP3	LNYS125ROP3TF	BNYS125ROP3			
155	**500**	LNYS125KUP3	LNYS125KUP3TF	BNYS125KUP3	LNYS125KUP3-4Fach		BNY125KUP3TF
160	**400**	GLNYS125KUP1	GLNYS125KUP1TF	GBNYS125KUP1			
163	**300**	GLNYS100KUP3		GBNYS100KUP3			
165	**200**	LNYS125ROP3A	LNYS125ROP3TFA	BNYS125ROP3A			
165	**500**	LNYS125KUP3A	LNYS125KUP3TFA	BNYS125KUP3A			
170	**550**						GBNY125KUP3TF
175	**400**	GLNYS125KUP3	GLNYS125KUP3TF	GBNYS125KUP3			
178	**500**	SLNYS125KUP3	SLNYS125KUP3TF	SBNYS125KUP3			SBNY125KUP3TF
184	**600**						
185	**500**	LNYS150KUP3	LNYS150KUP3TF	BNYS150KUP3	LNYS150KUP3-4Fach	SLNYS125KUP3TFS	BNY200KUP3TF
197	**750**						
205	**650**	GLNYS150KUP3	GLNYS150KUP3TF	GBNYS150KUP3			
205	**750**						GBNY150KUP3TF
210	**660**	SLNYS150KUP3	SLNYS150KUP3TF	SBNYS150KUP3			SBNY150KUP3TF
210	**1000**						
245	**1000**	SLNYS200KUP3	SLNYS200KUP3TF	SBNYS200KUP3			SBNY200KUP3TF
260	**500**	LNYS200KUP3	LNYS200KUP3TF	BNYS200KUP3	LNYS200KUP3-4Fach	SLNYS180KUP3TFS	
260	**1000**						GBNY200KUP3TF
260	**1100**	GLNYS200KUP3	GLNYS200KUP3TF	GBNYS200KUP3			
260	**1800**						
270	**2000**						
298	**800**	SLNYS250KUP3	SLNYS250KUP3TF	SBNYS250KUP3			
305	**1400**	GLNYS250KUP4	GLNYS250KUP4FR	GBNYS250KUP4			

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk

Polyamide castors

				mm	kg
LDMNYS033GLPL	LDMNYS033GLPLTF	BDNYS033GLPL		T5LDMNY025GLP1/70	70	210
LDMNYS050KUPL	LDMNYS050KUPLTF	BDMNYS050KUPL		T5LDMNY030GLP1/72	72	240
				TLDMNY025GLP1/73	73	210
LDMNYS050KUPLS	LDMNYS050KUPLSTF	BDNYS050KUPLS		TLDMNY030GLP1/74	74	240
			TLMNYS033GLP1/76	TLDMNYS033KUP1/76	76	300
			T5LMNYS035GLP1/76		76	500
				T5LDMNY033GLP1/77	77	270
				T5LDMNY025GLP3/78	78	210
				TLDMNY033GLP1/79	79	270
LDNYS080GLP3		BDNYS080GLP3		TLDMNY025GLP3/80	80	210
				T5LDMNY030GLP3/80	80	240
				TLDMNY030GLP3/82	82	240
LDNYS100KUP3	LDNYS100KUP3TF	BDNYS100KUP3	TLMNYS033GLP3/85		85	300
LDNYS075GLP3S		BDNYS075GLP3S	T5LMNYS035GLP3/85		85	500
				T5LDMNY033GLP3/86	86	270
LDNYS100KUP1	LDNYS100KUP1TF	BDNYS100KUP1		TLDMNY033GLP3/87	87	270
			TLMNYS033GLP3S/95		95	300
			TLMNYS050KUP1S/101	TLDMNYS050KUP1S/101	101	350
			TLMMNYS050KUP1/101	TLDMNYS050KUP1/101	101	450
			TLMNYS050KUP3/106	TLDMNYS050KUP3/106	106	450
			TLMNYS050KUP3S/108	TLDMNYS050KUP3S/108	108	450
			TLMNYS050KUP3S/115	TLDMNYS050KUP3S/115	115	450
SLDNYS100KUP3		SBDNYS100KUP3	TLMNYS050KUP3SS/115	TLDMNYS050KUP3SS/115	115	450
			TLNYS065KUP1/116	TLDNYS065KUP1/116	116	350
			TLNYS080KUP1/124	TLDNYS080KUP1/124	124	350
			TLNYS065KUP1/125	TLDNYS065KUP1/125	125	350
			TLNYS065KUP3/125	TLDNYS065KUP3/125	125	500
			TLNYS065KUP1S/128	TLDNYS065KUP1S/128	128	350
			TLNYS080KUP3/133	TLDNYS080KUP3/133	133	500
			TLNYS080KUP3/148	TLDNYS080KUP3/148	148	500
			TLNYS080KUP1S/155	TLDNYS080KUP1S/155	155	350
			TLNYS080KUP3S/155	TLDNYS080KUP3S/155	155	600
LDNYS100KUP4A		BDNYS100KUP4A	TLNYS100KUP3L/160	TLDNY100KUP3L/160	160	600
			TLNYS100KUP3R/160	TLDNY100KUP3R/160	160	600
LDNYS125KUP4A	LDPUSS125KUP4TFA	BDNYS125KUP4A	TLNYS100KUP3/164	TLDNY100KUP3/164	164	600
			TLNYS100KUP3/166	TLDNY100KUP3/166	166	1000
			TLNYS100KUP3S/178	TLDNY100KUP3S/178	178	1000
LDNYS150KUP4A	LDPUSS150KUP4TFA	BDNYS150KUP4A	TSLNYS100KUP3S/185	TSLDNY100KUP3S/185	185	1000
			TLNYS125KUP3/196	TLDNY125KUP3/196	196	1000
			TLNYS125KUP3S/210	TLDNY125KUP3S/210	210	1000
			TSLNYS125KUP3SS/221	TSLDNY125KUP3SS/221	221	1000
LDNYS180KUP4A	LDNYS180KUP4TFA	BDNYS180KUP4A	TLNYS150KUP3S/230	TLDNY150KUP3S/230	230	1000
LDNYS200KUP3A	LDNYS200KUP3TFA	BDNYS200KUP3A	TLNYS150KUP3/235	TLDNY150KUP3/235	235	600
			TLNYS150KUP3SS/245	TLDNY150KUP3SS/245	245	1000
			TSLNYS150KUPS/259	TSLDNY150KUPS/259	259	2000
			TSLNYS200KUPS/305		305	2000

Notes

Extract from our product range:

10/2019

BJERRING
Tykhøjetvej 20 - Hal 5 - 7323 Give - Tlf: +45 42705206 - Mail: salg@bjerring-sales.dk
www.bjerring-sales.dk